

SUPPLEMENT TO

The Gazette



सत्यमेव जयते

of India

No. 31] NEW DELHI, SATURDAY, AUGUST 9, 1958/SRAVANA 18, 1880

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 12th July, 1958

CHOLERA								SMALLPOX								PLAGUE															
C.		D.		C.		D.		C.		D.		C.		D.		C.		D.													
Andhra Pradesh																Kerala															
"N.R."																Trivandrum 6															
Assam																Quilon 1 1 .. .															
"N.R."																Kottayam 4 2 .. .															
Bihar																Ma 3 1 .. .															
Patna 18 .. 4 1 .. .																Trichur 28 13 .. .															
Gaya 43 14 10 3 .. .																TOTAL 42 17 .. .															
Shahabad 20 11 29 10 .. .																Total for w/e 5-7-58 .. . 50 8 .. .															
Muzaffarpur 18 7 3 1 .. .																Total for w/e/ 28 6-58 .. . 19 6 .. .															
Darbhanga 47 14 .																Madhya Pradesh															
Monghyr 7 2 .																" N. R. "															
Hazaribagh 15 6 .. .																Madras															
Ranchi 18 3 .. .																Madras City 99 25 .. .															
Palamau 4																Chingleput 31 8 .. .															
Dhanbad 11 2 .. .																South Arcot 22 11 .. .															
Singhbhum 2																Tiruchirappalli 6 2 .. .															
TOTAL 99 32 150 42 .. .																Tanjore 3 2 .. .															
Total for w/e 5-7-58 91 47 267 87 .. .																Madurai 10 1 .. .															
Total for w/e 28-6-58 103																North Arcot 26 15 .. .															
Bombay																Salem 21 16 .. .															
" N. R. "																Coimbatore 9 3 .. .															
Delhi																The Nilgiris 1															
"N.R."																Kanya Kumari 19 9 .. .															
Himachal Pradesh																TOTAL .. . 247 87 .. .															
" N. R. "																Total for w/e 5-7-58 .. . 202 62 .. .															
																Total for w/e 28-6-58 .. . 229 59 .. .															

Explanation of symbols used:—C = Cases ; D.=Deaths; ..=Nil; "N.R." = Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 12th July, 1958—*contd.*

CHOLERA							CHOLERA						
SMALLPOX							SMALLPOX						
PLAGUE							PLAGUE						
C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.	
Manipur							Pondicherry						
TOTAL	TOTAL	33	9	..
Total for w/e 5-7-58	Total for w/e 5-7-58	6	5
Total for w/e 28-6-58	Total for w/e 28-6-58	12	7
Mysore							Punjab						
Bangalore	11	9	..	Karnal	1
Chitaldrug	..	32	14	Patiala	4	2
Chikmagalur	1	..	TOTAL	4	3
Kolar	1	Total for w/e 5-7-58	4	1
Mandya	1	Total for w/e 28-6-58	12	3
Mysore	17	1	..	Rajasthan						
Shimoga	..	47	19	"N.R."						
Tumkur	1	Tripura						
Bellary	..	26	8	"N.R."						
Raichur	..	17	7	Uttar Pradesh						
Belgaum	..	5	4	Agra	7	1
Bijapur	8	4	..	Allgarh	1
Dharwar	..	20	8	Allahabad	15	2
South Kanara	5	2	..	Almora	8	2
Coorg (Mercara)	3	Azamgarh	49	16
TOTAL	..	147	60	47	17	..	Basti	9	2
Total for w/e 5-7-58	199	71	141	38	Ballia	9	4
Total for w/e 28-6-58	156	65	167	37	Budaun	15	4
Orissa							Barcilly	1
Cuttack	41	1	..	Bulandshahr	1
Puri	..	8	4	11	6	..	Deoria	24	7
Sambalpur	..	1	1	27	33	..	Etawah	10	4
Ganjam	..	59	32	94	28	..	Farrukhabad	1
Koraput	41	15	..	Fatehpur	1
Mayurbhanj	16	3	..	Faizabad	24	17
Dhenkanal	..	3	3	26	74	..	Gorakhpur	3	3
Keonjhar	10	1	..	Ghazipur	2	3
Bolangir Patna	..	5	5	54	18	..	Garhwal	1
Sundargarh	20	1	..	Gonda	11	1
Kalahandi	..	78	63	58	24	..	Hardoi	3	7
TOTAL	..	154	108	398	204	..	Jaunpur	2
Total for w/e 5-7-58	420	264	484	148	Jhansi	1
Total for w/e 28-6-58	193	110	577	135	Kheri	2

Explanation of Symbols used:—C.—Cases; D.—Deaths; ..—Nil; "N.R."—Information not received

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 12th July, 1958—contd.

CHOLERA				SMALLPOX				PLAGUE				CHOLERA			
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Uttar Pradesh—contd.								Bombay—contd.							
Kanpur	5	3	Poona	1
Lucknow	1	..	14	3	South Satara	1
Mirzapur	3	1	Sholapur	3
Meerut	3	West Khandesh	..	165	41	10	4
Moradabad	2	Bhandara	8
Mathura	7	1	Chanda	5
Pratapgarh	3	3	Nagpur	10	1	4	1	..
Rampur	3	Wardha	16
Sitapur	7	2	TOTAL	244	56	153	27
Shahranpur	5	Punjab							
Sultanpur	9	<i>w/e. 5-7-58</i>							
Tehri Garhwal	8	3	Rohtak	1
Varanasi	1	4	Karnal	1
TOTAL	1	..	265	98	Ambala	1	1
Total for w/e 5-7-58	22	9	298	159	Amritsar	1
Total for w/e 28-6-58	16	8	431	155	TOTAL	4	1
West Bengal								Rajasthan							
"N. R. "								<i>w/e. 21-6-58</i>							
Total for India (Excluding Andhra Pradesh, Assam, Bombay, Delhi, Himachal Pradesh, Madhya Pradesh, Rajasthan, Tripura and West Bengal, .. 401 200 1,186 477								Tonk	2	1
Corresponding Total for w/e 5-7-58 732 391 1,452 508								Ajmer	1
Corresponding Total for w/e 28-6-58 468 229 1,609 446								Jaipur	4	1
ARREAR INFORMATION								Banswara	1
Bombay								Bikaner	3
<i>w/e 5-7-58</i>								Churu	34	12
Greater Bombay	38	11	Kotah	10	3
Kaira	1	1	TOTAL	54	18
Surat	3	1	Delhi							
Gohilwad	4	<i>w/e 21-7-58</i>							
Sorath	1	Delhi City	8
Ahmednagar	6	New Delhi	1
East Khandesh	65	13	46	4	Delhi Notified Area Committee	11
Kolaba	5	Delhi Cantt	1
Kolhapur	2	Delhi Shahadara
Nasik	3	Municipality	1
								South Delhi Municipality	7	1
								TOTAL	18	12

Explanation of symbols used :— C.—Cases; D.—Deaths; .. = Nil; N.R. Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 12th July, 1958—concl'd.

CHOLERA								SMALLPOX								PLAGUE															
C.				D.				C.				D.				C.				D.											
Pondicherry								Mysore—contd																							
w/e 24-5-1958																															
TOTAL								2	2	—	—	Mysore	15	3							
Madhya Pradesh																															
w/e 28-6-1958																															
Durg	409	138	Shimoga	92	31	2											
Chhindwara	4	1	Bellary	29	8	4	1											
Narsinghpur	13	3	Raichur	12	8	12	2											
Seoni	9	Bijapur	3											
Shahdol	9	2	—	Dharwar	17	6	1	3											
Betul	24	North Kanara	30	6											
Bilaspur	15	13	—	South Kanara	7	4											
Indore	2	TOTAL	..	199	71	141	38											
Sagar	21	2	Poliomyelitis																						
Raipur	170	80	—	(Information based on patients treated in hospitals of important towns)																						
Bastar	27	10	Place	F/e	Case	Death																			
Raigash	12	8	Punjab	30-6-58	18 (Practic)	..																			
TOTAL								..	6	15	241	98	18	..	REMARKS																
Mysore																															
w/e 5-7-58																															
Bangalore	54	14	Cholera.— Shimoga distrct in Myore State and Kalahandi of Orissa State reported heavy incidence of the disease during the week under report.																						
Chitaldurg	..	49	18	7	4	Smallpox :—Heavy incidence of the disease was reported during the week from the City of Madras and the Districts of Ganjam Bolangir-Patna, and Kalahandi of Orissa State.																						
Chikmagalur	1																							
Kolar	3	1																							
Mandya	2									No epidemic conditions of the diseases were reported from any in the States during the week.														

Explanation of Symbols used :—C.=Cases; D=Deaths; ..=Nil.

NEW DELHI-2 (INDIA); }
The 4th August, 1958. }

H. R. SHARMA,
for Registrar General, India.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 12th July, 1958

Deaths from :—

Town	Mld-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Andhra Pradesh		"N.R."											
Assam		"N.R."											
Bihar													
Arrah	74	17	11.9	2	5	..	4	1	4	..	20	14.1	..
Bettiah	40	5	6.5	..	1	..	1	4	5.2	..
Bhagalpur†
Bihar	70	40	29.7	3	13	9.7	..
Chapra	72	41	29.6	1	5	20	14.4	4
Darbhangha	98	31	11.1	2	..	1	..	6	3.2	..
Dhanbad	48	17	18.4	2	1	6	6.5	2
Dinapur	45	2	2.3	2	2.3	..
Gaya	159	19	6.2	17	6	6	..	44	14.4	..
Hazaribagh	42	16	19.8	11	13.6	..
Jamalspur†
Jamshedpur	266	147	28.7	..	1	..	1	1	2	..	22	4.3	..
Katihar	60
Monghyr	84	10	6.2	9	2	15	9.3	..
Muzaffarpur	92	36	20.3	7	1	1	..	26	14.7	..
Patna	371	57	8.0	25	3.5	..
Ranchi	157	31	10.3	..	4	..	13	1	29	9.6	2
TOTAL	1,678	459	14.2	3	16	..	59	12	14	1	243	7.5	8
Bombay		"N.R."											
Delhi		"N.R."											
Kerala		"N.R."											
Madhya Pradesh		"N.R."											
Madras													
Ambur	48	31	33.6	1	2	2	..	15	16.3	3
Arripukottai	62	36	30.2	3	1	2	1	13	10.9	3
Bodinayakanur	43	24	29.0	1	2	..	6	7.3	..
Chidambaram	43	51	61.7	2	1	12	14.5	3
Coimbatore	267	196	38.2	3	11	13	3	93	18.1	25
Cuddalore	76	75	51.3	..	2	1	3	2	26	17.8	5
Dindigul	100	33	17.2	5	1	..	8	4.2	..
Erode	77	82	55.4	4	7	2	18	12.2	4
Gobichettipalayam	48	14	15.2	5	5.4	1
Gudiyattam	58	7	4	..	20	17.9	6
Kancheepuram	93	76	42.5	..	1	..	1	1	12	..	37	20.7	8
Karaikudi	47	42	46.5	2	1	9	10.0	1
Karur	57	30	27.4	2	6	5.5	3
Kumbakonam	115	90	40.7	..	1	..	2	3	5	5	43	19.4	5
Madras City	2,011	1,399	36.2	..	20	..	85	75	161	4	615	15.9	188
Madurai †
Mayuram	53	53	52.0	1	1	14	13.7	7
Malapalayam	43	14	16.9	1	1	8	9.7	..
Nagapattinam	62	44	36.9	4	5	4	1	25	21.0	6
Nagercoil	109	66	31.5	1	2	6	..	19	9.1	4
Ootacamund	53	36	35.3	1	..	11	10.8	4
Palni	44	21	24.8	1	1	..	8	9.5	3
Palayamkottai	48	60	65.0	2	1	1	..	17	18.4	5
Periyakulam	35	46	68.3	3	1	..	9	13.4	2

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil ; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 12th July, 1958—contd.

Town	Mid.-year Popn.-Est (000)	Deaths from —											D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total			
Madras—contd.														
Pollachi . . .	60	33	28.6	3	3	2	..	16	13.9	7	
Pudukottai . . .	54	52	50.1	1	1	..	1	13	12.5	..	
Rajapalayam . . .	74	28	19.7	1	1	1	..	9	6.3	2	
Salem . . .	279	180	33.5	6	3	13	1	66	13.3	6	
Srirangam . . .	46	14	15.8	1	..	1	..	6	6.8	1	
Srivilliputtur . . .	45	27	31.2	2	..	1	..	9	10.4	3	
Tanjore . . .	133	96	37.5	3	1	6	..	40	15.6	6	
Tiruchirappalli . . .	276	130	24.5	4	1	6	..	68	12.8	12	
Tirunelveli . . .	484	55	34.0	..	1	..	1	2	9	1	24	14.9	7	
Tiruppur . . .	73	30	21.4	1	2	3	..	13	9.3	1	
Tiruvannamalai . . .	47	52	57.5	2	6	..	20	22.1	6	
Tuticorin . . .	121	66	28.4	1	3	3	..	29	12.5	9	
Vaniyambadi . . .	45	26	30.0	..	1	..	2	3	5	..	14	16.2	6	
Vellore . . .	141	142	52.4	..	2	..	2	6	10	3	56	20.7	12	
Villapuram . . .	42	39	48.3	2	8	9.9	3	
Virudhunagar . . .	57	76	69.3	1	3	12	10.9	1	
TOTAL . . .	5,169	3,565	35.9	..	28	..	137	159	294	25	1,440	14.5	368	
Mysore														
Bangalore . . .	1,246	608	25.4	..	10	..	4	60	58	..	287	12.0	4	
Mysore . . .	347	70	10.5	25	5	4	..	70	10.5	1	
Kolar Gold Fields . . .	180	113	32.6	3	2	1	..	36	10.4	2	
Bellary . . .	83	30	18.8	4	8	1	..	24	15.0	1	
Davangere . . .	85	39	23.9	3	2	16	9.8	1	
Shimoga . . .	68	29	22.2	1	1	..	4	1	12	9.2	..	
Bhadravati†														
Hospet†														
Tumkur . . .	51	22	22.4	10	1	11	11.2	..	
Kolar†														
Chitaldrug														
Hassan†	37	34	47.8	5	7.0	..	
Bidar†														
Gulberga														
Raichur†	101	28	14.4	4	1	1	..	7	3.6	..	
Belgaum . . .	110	82	38.8	1	1	1	..	21	9.9	3	
Bijapur†														
Dhanwar . . .	85	44	26.9	2	3	..	20	12.2	..	
Mangalore . . .	153	271	92.1	2	1	1	1	32	10.9	3	
Bagalkot														
Hubli†	39	22	29.3	6	2	2	..	18	24.0	..	
Gadag (Betigerre) . . .	73	65	46.3	9	..	1	1	24	17.1	..	
TOTAL . . .	2,658	1,457	28.5	1	11	..	75	85	73	3	583	11.4	15	
Orissa														
"N.R."														
Pondicherry . . .	68	94	71.9	4	2	3	..	21	16.1	10	
Punjab														
Ambala . . .	62	53	44.5	11	3	4	..	21	17.6	5	
Amritsar . . .	359	325	47.1	2	2	20	..	67	9.7	15	
Batala . . .	66	31	24.4	8	1	3	..	16	12.6	5	
Bhiwani . . .	59	49	43.2	4	1	9	7.9	3	
Ferozepur . . .	47	36	39.8	3	..	7	7.7	2	
Hissar . . .	41	43	54.5	6	7	8.9	5	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 12th July, 1958—*contd.*

Deaths from :—

Town	Mid-year Popn-Est (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Punjab—contd.													
Hoshiarpur	54	35	33.7	4	1	..	1	9	8.7	..
Jullundhar	230	†	†	12	2	5	..	22	5.0	6
Karnal	83	56	35.1	9	..	1	..	19	11.9	4
Ludhiana	194	158	42.4	7	..	9	..	34	9.1	4
Moga	45	35	40.4	5	7	8.1	..
Panipat	72	45	32.5	6	2	10	7.2	..
Pathankot	36	19	27.4	1	..	4	..	6	8.7	2
Rewari	40	22	28.6	2	1	3	3.9	1
Rohtak	96	88	47.7	4	..	1	..	8	4.3	8
Simla	53	53	52.0	2	1	..	10	9.8	2
Sonepat	36	26	37.6	6	7	10.1	1
Bhatinda	45	34	39.3	6	9	10.4	5
Malerkotla	35	33	49.0	5	5	7.4	..
Patiala	125	73	30.4	..	1	..	12	2	3	..	28	11.6	11
TOTAL	1,778	1,214	35.5	..	1	..	110	17	54	1	304	8.9	79

Rajasthan

"N.R."

Uttar Pradesh

Agra	404	257	33.1	2	20	48	..	103	13.3	19
Allahabad	372	162	22.7	..	1	..	2	1	32	..	75	10.5	12
Amroha	61	43	36.7	11	1	2	..	20	17.1	3
Bahraich	49	17	18.1	4	..	1	..	9	9.6	1
Banaras	416	340	42.6	73	5	16	..	196	24.5	26
Banda†													
Barilly	206	57	14.4	9	..	5	..	30	7.6	7
Basti†													
Ballia†													
Bijnor†													
Budaun	55	30	28.4	11	..	8	1	30	28.4	11
Bulandshahr†													
Chandausi	44	48	56.7	8	..	1	1	23	27.2	6
Dehra Dun	186	75	21.0	6	2	6	..	30	8.4	8
Etawah	65	52	41.7	10	3	8	..	29	23.2	13
Faizabad-Ayodhya	94	19	10.5	..	2	..	3	..	2	..	11	6.1	1
Farukhabad-Fatehgarh	78	54	36.1	15	..	6	..	23	15.4	3
Firozabad	93	16	9.0	1	3	1.7	1
Ghaziपुर†													
Ghaziabad	68	24	18.4	6	1	2	..	10	7.7	1
Gonda	35	7	10.4	..	1	..	1	..	1	..	4	5.9	2
Gorakhpur	150	96	33.4	7	8	7	..	40	13.9	9
Hapur	65	25	20.0	13	..	1	..	18	14.4	4
Hardwar†													
Hathras	65	40	32.1	21	2	1	..	29	23.2	7
Jaunpur	59	20	17.7	..	5	..	3	..	4	..	17	15.0	2
Jhansi	132	129	50.9	17	20	7.9	5
Kanpur	810	346	22.3	..	1	..	89	..	90	8	270	17.4	151
Kasganj	34	7	10.7	2	5	7.7	..
Khurja	41	21	26.7	3	4	5.1	..

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 12th July, 1958—*contd.*

Deaths from :—

Town	Mid.- year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.	I.D.
Uttar Pradesh—contd.													
Koili-Aligarh . . .	167	25	7.8	23	2	2	..	37	11.5	8
Lucknow . . .	525	392	38.9	..	2	..	44	7	44	..	256	25.4	52
Mathura . . .	118	80	35.3	..	1	..	26	..	3	..	37	16.3	8
Mau-Nath Bhanjan . .	39	28	37.4	2	10	13.4	2
Meerut . . .	198	159	41.9	11	4	31	8.2	4
Mirzapur-Vindhayachal .	100	40	20.8	14	1	5	..	33	17.2	2
Moradabad . . .	165	142	44.9	7	4	24	2	58	18.3	10
Muzaffarnagar . . .	81	26	16.7	8	2	12	7.7	5
Pilibhit†													
Rampur†													
Saharanpur . . .	178	113	33.1	31	6	2	..	48	14.1	9
Sambhal†													
Sitapur†													
Shahjahanpur . . .	112	72	33.5	26	3	2	..	39	18.1	12
TOTAL . . .	5,265	2,962	29.3	..	13	..	509	72	323	12	1,560	15.4	404

West Bengal

"N. R."

ARREAR INFORMATION

as of 31-5-1958

Andhra Pradesh

Adoni . . .	72	42	30.3	1	1	8	5.8	3
Anantpur . . .	42	47	58.2	4	4	30	37.1	3
Anakapalli†													
Bhimavaram†													
Chirala†													
Chittoor†													
Cuddapah . . .	46	26	29.4	6	..	4	..	18	20.3	3
Ellore . . .	108	53	25.5	5	..	6	1	30	14.4	3
Gudivada†													
Guntur . . .	168	146	45.3	..	1	..	10	5	6	..	76	23.5	14
Guntakal . . .	43	25	30.2	3	1	1	..	10	12.1	1
Kakinada . . .	123	66	26.2	..	1	..	8	2	2	..	44	18.6	16
Kurnool . . .	74	65	45.7	3	..	3	..	36	25.3	9
Masulipatanam . . .	95	49	26.8	1	..	2	..	25	13.7	8
Nandyal . . .	40	46	59.8	3	..	9	11.7	2
Nellore . . .	107	109	52.9	5	2	3	..	38	18.5	14
Proddutur . . .	46	29	32.8	1	..	1	1	9	10.2	3
Rajahmundry . . .	137	72	27.4	4	..	3	..	22	8.4	6
Tenali . . .	76	60	41.0	2	1	15	10.3	7
Vijayawada . . .	253	160	33.0	..	2	..	16	..	7	..	59	12.2	14
Visakhapatnam . . .	148	105	36.9	..	3	..	5	7	12	..	62	21.8	14
Vizianagaram . . .	81	38	24.4	4	1	6	..	30	19.3	10
Hyderabad . . .	1,291	570	22.8	..	3	..	22	2	14	..	139	5.6	25
Warrangal . . .	173	80	24.1	1	..	4	..	20	6.0	..
Nizamabad . . .	81	11	7.1	1	4	5	3.2	..
Kothagudem†													
Secunderabad . . .	192	127	34.4	3	4	4	8	2	39	10.6	3
TOTAL . . .	3,448	1,926	29.0	4	10	..	103	25	91	9	24	10.9	162

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information ; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 12th July, 1958—*contd.*

Town	Mid. Year Popn.-Est. (000)	Deaths from :—											D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total			
Assam		w/e 14-6-58												
Gauhati	58	18	16.1	6	1	14	12.6	14	
Shillong†	
Dibrugarh	54	3	2.9	
Silchar	57	9	8.2	2	..	3	..	11	10.0	21	
TOTAL	169	30	9.2	8	1	3	..	25	7.7	35	
Bihar		w/e 31-5-58												
Arrah	74	5	3.5	5	16	11.2	..	
Bettiah	40	4	5.2	..	1	..	4	7	9.1	..	
Bhagalpur	133	19	7.4	11	36	14.1	..	
Bhart†	
Chapra†	
Darbhanga	98	13	6.9	3	7	3.7	..	
Dhanbad	48	6	6.5	5	5.4	..	
Dinapur	45	2	2.3	2	2	2.3	..	
Gaya	159	32	10.5	15	2	24	..	62	20.3	..	
Hazaribagh	42	8	9.9	8	9.9	..	
Jamulpur	48	3	3.2	2	2.2	..	
Jamshedpur	266	101	19.7	..	2	..	2	..	4	2	27	5.3	..	
Katihar	60	
Monghyr†	
Muzaffarpur	92	27	15.3	4	2	3	..	22	12.4	..	
Patna	371	69	9.7	5	3	1	..	23	3.2	..	
Ranchi	157	20	6.6	..	3	..	18	3	36	11.9	10	
TOTAL	1,633	309	9.8	..	6	..	67	10	32	4	253	8.1	10	
Bombay		w/e 5-4-58												
Ahmedabad	970	542	29.1	..	2	..	44	18	126	..	406	21.8	113	
Ahmednagar	108	52	25.0	2	9	..	31	14.9	..	
Amalner	5	30	28.9	11	..	1	..	21	20.2	1	
Baroda	266	160	31.3	..	1	..	24	4	14	2	93	18.1	18	
Barsi	48	18	19.5	7	19	20.6	4	
Bhusawal	73	22	15.7	4	6	4.3	2	
Broach	68	61	46.6	9	5	11	..	34	21.2	7	
Cambay	42	14	17.3	..	5	..	8	1	2	..	30	31.1	5	
Chalisgaon	38	20	27.4	..	4	..	7	1	15	20.5	3	
Dhulia	101	38	19.6	..	3	..	11	..	3	..	25	12.9	7	
Godhra	41	24	30.4	2	7	8.9	..	
Greater Bombay	4,117	1,340	16.7	..	33	..	1	19	153	3	717	9.1	180	
Jalgaon†	1	1	..	7	3.9	..	
Kalyan	93	13	7.3	1	1	..	28	8.0	3	
Kolhapur	181	86	24.7	5	2	1	..	28	8.0	3	
Malegaon†	
Miraj	47	7	7.9	1	1	2	..	23	25.4	2	
Nadiad	78	45	30.0	7	..	1	..	26	18.2	4	
Nandurbar	38	23	31.5	3	1	1	..	9	12.3	1	
Nasik	151	50	17.2	..	2	..	10	1	1	..	33	11.4	12	
Narsari	52	23	23.0	4	11	11.0	1	
Pandharpur	47	27	29.9	..	1	..	3	1	4	..	13	14.4	4	
Patan	49	20	21.2	..	1	..	2	2	7	..	14	14.9	2	
Poona	717	203	14.7	..	1	..	3	..	25	1	103	7.5	28	
Sangli	66	18	14.2	..	1	..	1	..	1	..	10	7.9	1	
Satara	43	21	25.4	3	1	2	..	18	21.8	2	
Sholapur	325	156	25.0	..	1	..	25	7	25	1	103	16.5	19	
Surat	270	153	29.5	32	8	26	2	120	23.1	34	
Thana	73	26	18.5	6	23	16.4	2	
Bhavnagar	171	72	21.9	..	2	..	14	2	6	..	39	11.9	12	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used:—B.—Births; B.R.—Birth rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 12th July, 1958—*contd.*

Deaths from —

Town	Mid.-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Bombay—<i>contd.</i>													
Dhoraji	49	24	25.5	3	..	3	..	7	7.4	1
Gondal	43	21	25.4	..	2	..	2	..	2	..	10	12.1	..
Jamnagar	138	5	1.9	3	3	1	..	11	4.1	3
Junagadh	66	31	24.4	14	..	1	2	27	21.3	5
Morvi	44	10	11.8	3	1	4	4.7	2
Porbandar	68	26	19.9	..	1	..	7	2	1	..	16	12.2	7
Rajkot	217	61	14.6	13	6	8	1	53	12.7	17
Veraval	50	16	16.6	3	..	2	..	12	12.5	5
Surendranagar	52	13	13.0	7	..	1	..	9	9.0	..
Nagpur	602	207	17.9	71	10	36	2	309	26.7	67
Achalpur	39	11	14.7	5	5	6.7	..
Akola	110	79	37.3	..	6	..	13	1	2	..	35	16.5	10
Amraoti	111	126	59.0	..	2	..	13	1	2	5	37	17.3	5
Chanda	45	24	27.7	..	4	..	9	2	5	..	20	23.1	4
Gondia	56	12	11.1	..	1	..	2	6	5.6	3
Hinganghat	37	16	22.5	4	7	9.8	3
Khamgaon†													
Wardha	51	19	19.4	1	3	3.1	1
Yeotmal	45	22	25.4	8	1	2	..	17	19.6	..
Kamptee	40	20	26.0	..	13	..	1	..	2	..	22	28.6	5
Aurangabad	81	12	7.7	3	..	4	2.6	..
Latur†													
Nanded	98	16	8.5	1	6	3.2	..
Parbhani	46	4	4.5	..	5	..	1	1	7	7.9	2
Jalna	80	2	1.3	..	1	..	2	..	5	..	10	6.5	..
TOTAL	10,495	4,841	24.0	..	92	..	433	104	498	20	2,621	13.0	610

For w/e 12-4-1958

Ahmedabad	970	500	26.8	..	2	..	39	9	10	..	329	17.6	70
Ahemdnagar	108	58	27.9	1	1	13	..	41	19.7	10
Amalner	54	16	15.5	..	2	..	13	..	1	..	21	20.2	6
Baroda	266	185	36.2	..	2	..	26	1	15	..	105	20.5	19
Barshi	48	32	34.7	7	..	3	1	21	22.8	2
Bhusawal	73	40	28.5	..	1	..	8	1	16	11.4	7
Broach	68	50	38.2	10	2	7	..	28	21.4	3
Cambay	42	20	24.8	..	2	..	6	2	5	..	26	32.2	2
Chalisgaon	38	18	24.6	..	4	..	8	18	24.6	1
Dhulia	101	32	16.5	..	4	..	5	1	4	..	20	10.3	4
Godhra	41	13	16.5	5	9	11.4	2
Greater Bombay	4,117	1,299	48.9	..	62	..	1	30	169	3	883	10.6	219
Jalgaon	88	16	9.4	10	..	3	1	25	14.8	11
Kalyan	93	28	15.7	..	1	..	1	1	1	..	9	5.0	..
Kolhapur	181	115	33.0	2	1	10	..	51	13.5	6
Malegaon	74	35	21.8	52	..	3	1	61	42.9	11
Miraj	47	51	56.4	1	..	5	..	24	26.6	..
Nadiad	78	33	22.0	4	1	22	14.7	6
Nandurbar	38	21	28.1	1	..	5	6.8	2
Nasik	151	81	27.9	..	2	..	10	3	7	..	54	18.6	13
Narsari	52	33	31.1	3	6	6.0	1
Pandharpur	47	32	35.4	2	3	3	..	18	19.9	4
Patan	49	39	41.2	4	2	2	..	20	21.2	3
Poona	717	250	17.4	..	1	..	6	1	22	..	116	8.4	29
Sangli	66	26	20.5	1	2	9	7.1	2
Satara	43	28	33.2	3	2	9	10.9	1
Sholapur†													
Surat	270	150	28.9	..	1	..	22	3	21	1	98	18.5	23
Thana	73	12	8.8	1	1	9	6.0	3
Bhavnagar	171	77	22.2	..	7	..	6	2	9	..	54	38.5	5
Dhoraji	49	27	28.7	..	2	..	3	7	7.4	2
Gondal	43	19	22.9	..	3	..	5	11	13.3	..
Jamnagar	138	21	7.9	4	1	4	..	18	6.8	2

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available

Explanation of Symbols used :—B. = Births ; B.R. = Birth Rate ; C. = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fevers ; D.D. = Dysentery and Diarrhoea ; R.D. = Respiratory Diseases ; M.D. = Maternal Deaths ; D.R. = Death Rate ; I.D. = Infantile Deaths (included in total deaths) ; .. = Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 12th July, 1958—concl'd.

Town	Mid-Year Popn. Est.(000)	B.	B.R.*	Deaths from —								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Bombay—contd.														
Junagadh . . .	66	29	19.8	..	1	..	10	..	4	..	21	15.0	6	
Morvi . . .	44	16	18.2	3	..	2	..	8	9.5	1	
Porbander . . .	68	10	7.6	..	1	..	4	1	3	..	16	12.2	1	
Rajkot . . .	217	91	5.2	..	3	..	10	3	7	2	39	9.5	14	
Veraval . . .	50	2	2.0	..	2	..	4	1	12	2.5	3	
Surendranagar . . .	52	17	17.0	3	..	1	..	6	6.0	..	
Nagpur . . .	602	273	23.6	39	8	13	..	152	13.1	39	
Achalpur . . .	39	10	13.3	3	..	1	..	9	12.0	1	
Akola . . .	110	87	41.1	..	7	..	13	2	5	..	39	18.4	9	
Amravati . . .	111	66	30.1	..	1	..	7	..	5	..	34	15.9	1	
Chanda . . .	45	11	12.7	6	23	26.6	7	
Gondia . . .	56	23	21.4	..	2	..	9	3	17	15.8	5	
Hinganghat . . .	37	20	18.1	4	9	12.6	3	
Khamgaon . . .	47	13	14.4	4	7	7.7	1	
Wardha . . .	51	10	10.2	1	..	2	..	6	6.2	1	
Yeotmal . . .	45	24	27.7	9	..	4	..	21	24.3	..	
Kamptee . . .	40	10	13.0	..	24	1	1	..	34	44.2	8	
Aurangabad . . .	81	1	0.6	..	1	..	1	..	3	..	8	5.1	..	
Lathur . . .	46	13	14.7	2	..	1	..	4	4.5	..	
Nanded . . .	98	16	8.6	1	..	2	..	5	2.7	..	
Parbhani . . .	46	5	5.7	..	3	..	1	..	1	..	6	6.8	..	
Jalna . . .	80	5	3.3	1	..	2	1.3	..	
TOTAL . . .	10,425	4109	20.5	..	146	..	403	85	462	13	22621	13.1	569	
Kerala w/e 7-6-1958														
Alleppey . . .	195	55	14.7	3	2	1	..	15	4.0	..	
Changanacherry . . .	44	17	20.1	5	5.9	1	
Kottayam . . .	55	7	6.2	1	..	2	..	4	3.8	..	
Ernakulam . . .	77	56	37.8	2	18	12.2	1	
Mattancherry†	
Qullon . . .	82	133	88.2	2	15	9.5	5	
Trichur . . .	80	37	24.1	3	1	2	..	15	9.8	3	
Trivandrum . . .	247	418	88.0	3	3	13	3	64	13.5	4	
Kozhikode . . .	187	146	40.6	12	13	6	5	130	36.2	19	
Palghat †	
Cannanore . . .	49	30	31.8	3	..	3	..	12	12.7	1	
Tellicherry . . .	43	60	72.6	1	..	2	..	17	20.6	3	
Cochin . . .	33	45	70.9	1	1	2	..	12	18.9	3	
TOTAL . . .	1,092	1,010	48.1	29	20	31	10	307	14.6	40	
(Supplementary figures)														
w/e 31-5-58														
Kottayam . . .	55	32	30.3	15	14.2	..	
Madhya Pradesh w/e 17-5-1958														
Bilaspur†	
Burhanpur . . .	85	48	29.4	..	17	..	26	60	36.7	..	
Damoh†	
Jabalpur†	
Khandwa . . .	64	12	9.8	..	7	..	8	..	1	..	21	17.1	..	
Raipur†	
Murwar†	
Sagar†	
Chhindwara . . .	33	20	31.5	..	3	..	5	..	1	..	17	26.8	7	
Raigarh†	
Itarsi . . .	37	12	16.0	3	11	15.5	..	
Greater Gwalior . . .	297	41	7.2	7	..	1	..	16	2.8	1	
Indore . . .	423	110	18.3	..	5	..	31	6	5	1	106	13.0	30	
Ratlam†	
Ujjain . . .	183	40	11.4	..	1	..	17	2	..	2	42	11.9	10	
Bhopal City†	
Mandsaur . . .	48	6	6.5	
TOTAL . . .	1,170	289	12.8	..	33	..	97	8	7	3	273	12.1	48	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; —Nil information.

REMARKS

The figures of births and deaths shown in this statement for week ending 12th July, 1958 relate to 122 towns from the States of Bihar, Madras, Mysore, Pondicherry, Punjab and Uttar Pradesh with a population coverage of 16,616 thousands out of total population of 46,461 in 326 towns of the country. The number of births and deaths

recorded in these towns were 9,751 and 4,191 registering birth and death rates of 30.5 and 13.0 per thousand of population respectively.

No town recorded a high death rate of 30 or over per thousand of population. The following table gives the registered rates for different States:—

States	Current w/e 12-7-1958		Corresponding w/e last year	
	B. R.	D. R.	B. R.	D. R.
Bihar	14.2	7.5	10.8	6.3
Madras	35.9	14.5	38.0	19.1
Mysore	28.5	11.4	25.0	17.0
Pondicherry . .	71.9	16.1	58.7	15.1
Punjab	35.5	8.9	29.7	13.9
Uttar Pradesh . .	29.3	15.4	27.4	13.8
India	30.5	13.0	29.1	15.1

NEW DELHI-2 (INDIA) ;

The 4th August 1958.

H. R. SHARMA,
for Registrar General, India